



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/904,627	07/16/2001	Ullas Gargi	10006286-1	2970

7590 04/22/2005  
HEWLETT-PACKARD COMPANY  
Intellectual Property Administration  
P.O. Box 272400  
Fort Collins, CO 80527-2400

EXAMINER

WANG, JIN CHENG

ART UNIT	PAPER NUMBER
----------	--------------

2672

DATE MAILED: 04/22/2005

Please find below and/or attached an Office communication concerning this application or proceeding.



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS  
UNITED STATES PATENT AND TRADEMARK OFFICE  
P.O. Box 1450  
ALEXANDRIA, VA 22313-1450  
www.uspto.gov

**BEFORE THE BOARD OF PATENT APPEALS  
AND INTERFERENCES**

Paper No. 20050310

Application Number: 09/904,627  
Filing Date: July 16, 2001  
Appellant(s): GARGI ET AL.

\_\_\_\_\_  
Patrick C. Keane  
For Appellant

EXAMINER'S ANSWER

**MAILED**

APR 22 2005

**GROUP 2600**

This is in response to the appeal brief filed 12/07/2004.

**(1) Real Party in Interest**

A statement identifying the real party in interest is contained in the brief.

**(2) *Related Appeals and Interferences***

A statement identifying the related appeals and interferences which will directly affect or be directly affected by or have a bearing on the decision in the pending appeal is contained in the brief.

**(3) *Status of Claims***

The statement of the status of the claims contained in the brief is correct.

**(4) *Status of Amendments After Final***

The appellant's statement of the status of amendments after final rejection contained in the brief is correct.

**(5) *Summary of Invention***

The summary of invention contained in the brief is deficient because Appellant's arguments or allegations cannot be construed as contents in the summary of invention. The Examiner considers these arguments as misleading to the patentability of the claimed invention.

**(6) *Issues***

The appellant's statement of the issues in the brief is correct.

**(8) *Claims Appealed***

The copy of the appealed claims contained in the Appendix to the brief is correct.

**(9) *Prior Art of Record***

6,240,423

Hirata

05-2001

**(10) *Grounds of Rejection***

The following ground(s) of rejection are applicable to the appealed claims:

Claims 1-7, 11-12, 16-19 are rejected under 35 U.S.C. 102(e). This rejection is set forth in prior Final Office Action, dated 06/04/2004, and the prior Advisory Action, 11/16/2004.

1. Claim 1:

Hirata teaches a method of visualizing and retrieving a data file comprising:

Displaying a plurality of images representing corresponding data files on a display device using a first distance metric *between each data file (e.g., between each data file for the plurality of images including the query image wherein either the similarity measure is involved or the mutual similarity measure is involved; Calculating a first distance metric between a query image and images in the database using a region-based and/or boundary-based matching to produce a first set of similar images. Images being retrieved in order based upon the distance between the query image and the result candidate images, column 6. Subsequently, based on the mutual similarities between the images, retrieval results of the candidate images are sorted. The images similar to each other are assumed to be under one group and are re-ordered based on the similarity. The users may specify the forms of the output for display; figures 1-11; column 6-14. Note that Fig. 10A in relation to Fig. 8 shows displaying a plurality of images retrieved using the first distance metric wherein the keyword "display" can be found in column 6, lines 10-25 that the one-dimensional display of the query results of the images have been displayed in Fig. 10A and 8);*

Redisplaying a portion of the images on the display device using a refined distance metric (e.g., Hirata teaches using a second distance metric such as the distance metric used for grouping and re-ordering based on similarity among result candidates to retrieve images based

*on the set of similar images retrieved using a first distance measure. The second distance metric is now a "refined" distance metric because it refines the search for images. The second distance metric of Hirata thus meets the claim limitation of "a refined distance metric." Here, a refined set of similar images is produced from the first set of similar images produced using a first distance metric. See figure 9, 11 and 12; column 6-14. Moreover, based on the mutual similarities between the candidate images, retrieval results of the candidate images are sorted and displayed in a two-dimensional way in Fig. 10B. The images similar to each other are assumed to be under one group and are re-ordered based on the similarity and users can specify the forms of the output for display; figures 1-11; column 6-9. Note that Fig. 10B shows redisplaying a plurality of images in a two-dimensional way using a refined distance metric in accordance with the distance measure among the candidate images. The distance measure has been illustrated in Fig. 9 and re-order based on the similarity and the distance measure takes place so that the images are grouped in terms of similarities among them and similarities among the candidates are calculated to form groups and the order in which the search results are presented is changed based on the grouping. The term "redisplaying" means that Fig. 10A has displayed a set of search results of the images in a one-dimensional array and Fig. 10B re-displayed a set of search results arranged in two rows with the appropriate grouping wherein the first row of the images in Fig. 10B is less than the first row of the candidate images in Fig. 10A and the second row of the images in Fig. 10B is less than the total number of the candidate images in Fig. 10A. "A portion of the images" merely means either 100% or less than 100% of the plurality of the images retrieved in terms of the number of images. "A refined distance metric" merely means a distance metric that refines the search process for the images or a*

Art Unit: 2672

*distance metric that imposes additional conditions than the first distance metric used in the “displaying” step); and*

Performing at least one of retrieving, marking, and selecting at least one desired data file (Hirata teaches at least one of clicking on one of the displayed results of the retrieved hyperlinked images to select one desired data file for the hyperlinked image to display the image in a full window, e.g., a popup window, and the displayed image information are retrieved from at least one desired data file at user's selection of the image. Hirata further discloses retrieving at least one desired data file at the step of displaying or at the step of redisplaying; see figures 1-11; column 6-14).

In other words, Hirata is directed to outputting the candidate images (the second set of similar images) based on the first distance metric (e.g., stored in a memory) and displaying the candidate images in a one-dimensional way (column 6). Hirata further discloses redisplaying a portion of displayed images using a refined distance metric in a two-dimensional way (column 6). Hirata teaches in column 7 that the step of grouping and re-ordering based on similarity among result candidates.

Moreover, in column 6-14 or in the claims 37-39, Hirata clearly teaches displaying the second set of similar images grouped by the clusters on the display and DISPLAYING RE-ORDERED SECOND SET of SIMILAR IMAGES ON THE DISPLAY and therefore at least two steps of displaying is involved in the process.

In claim 23 of Hirata as enabled by column 6-9 n of Hirata, the first set of similar images are produced by a first similarity between a query image and the images using region-based

Art Unit: 2672

image matching and second set of similar images are produced based on a second similarity between the query image and the first set of similar images using boundary based image matching. In claim 24 of Hirata, the second set of similar images is grouped into clusters based upon a similarity calculation among members of the second set of similar images. In claim 37, the second set of images grouped by the clusters is displayed on the display. Hirata thus teaches displaying the second set of similar images representing data files (as images retrieved from data files) on a display device (displaying involves a display device) using a second similarity (based on the first set of similar images retrieved by the first similarity) between each data file of the data files for images including the query image. Thus, Hirata meets the claim limitation of “displaying a plurality of images representing corresponding data files on a display device using a first distance metric between each data file”.

In claim 25 of Hirata, the second set of similar images is re-ordered based upon a similarity calculation among members of the second set of similar images. In claim 38 of Hirata, the re-ordered second set of images is displayed on the display, thereby resulting in a re-displaying. Hirata thus teaches redisplaying the re-ordered second set of images (which is 100% or less than 100% of the second set of images first displayed as set forth in the claim 37 of Hirata) on the display using a mutual similarity calculation among members of the second set of similar images (which is a refined distance metric). This step has been set forth in the claim 38 of Hirata. Thus, Hirata meets the claim limitation of “redisplaying a portion of the images on the display device using a refined distance metric”.

In claim 39 of Hirata, a representative image from each of the clusters is selected and whereupon for each cluster the selected representative image is displayed (redisplayed) on the

display. Hirata thus teaches redisplaying a strictly less than 100% of the similar images produced in the displaying step. By the selection of representative image being displayed, Hirata also discloses performing a selection of the representative image as retrieved from a data file and therefore Hirata teaches the claim limitation of performing at least one of retrieving, marking, and selecting at least one desired data file.

From the embodiment of Hirata's teaching, Hirata discloses in column 6 a similarity matching among the candidate images resulting from the region-based and boundary-based matching. Not only users can select regions for the image matching or querying, but also users can specify other parameters such as the threshold values to determine how the images are categorized into groups and this categorization is used to REDUCE the number of images to be displayed, e.g., in a particular row of the display.

Hirata discloses in column 7 that the number of results (the number of the input images) to be processed in the step of grouping and re-ordering based on similarity among the second set of similar images can be CONTROLLED BY THE USER, and such a selection further limits the number of the images to be re-displayed.

The displaying and re-displaying of the images are interactive because users may limit the second set of similar images by selecting the threshold values for the clustering of the second set of similar images either before retrieving or during retrieving by the application program, thereby determining how the portion of the second set of similar images are selected on the display during the two-steps of displaying process.

By selecting the number of the candidate images in the step of re-ordering based on the mutual similarity and the selection of the representative image in each cluster, the resulting



Art Unit: 2672

images being redisplayed is strictly less than the second set of similar images retrieved in the displaying step. Hirata thus teaches redisplaying a portion (say 100% or less than 100%) of displayed images selected in the previous step of the image matching using a mutual similarity measure. Users' selection of the candidate images produces a further refined set of the candidate images in the performing step. Finally, it is noted that the mutual similarity as calculated in Hirata's column 9, lines 1-9 meets the claim limitation of a distance measure.

From the teaching of column 6-7 and 14, it is concluded that Hirata at least discloses two separate steps of displaying the candidate images wherein a lesser number of the clustered candidate images can be re-ordered and re-displayed. Hirata further teaches interactive user selection for selecting a subset of images to be re-ordered and re-displayed based on the mutual similarity and user selection of parameters for retrieval and the representative images in each cluster.

#### Claim 2:

The claim 2 encompasses the same scope of invention as that of claim 1 except additional claimed limitation of repeating the redisplaying step until a desired data file is identifiable. However, Hirata further discloses the claimed limitation of repeating the redisplaying step until a desired data file is identifiable (e.g., column 4 wherein Hirata teaches specifying a hierarchical structure using the authoring tools in which a user may repeat the step of specifying regions of the query image until a desired data file is identifiable).

#### Claim 3:

The claim 3 encompasses the same scope of invention as that of claim 1 except additional claimed limitation of computing a feature vector for each data file and calculating the first distance metric between each data file using a first subset of data contained in the feature vector. However, Hirata further discloses the claimed limitation of computing a feature vector for each data file (e.g., similarity is determined based on a number of features derived from the respective images; column 1) and calculating the first distance metric between each data file using a first subset of data contained in the feature vector (e.g., column 6-9).

Claim 4:

The claim 4 encompasses the same scope of invention as that of claim 3 except additional claimed limitation of calculating a second distance metric between each data file using a second subset of data contained in the feature vector which is greater than the first subset. However, Hirata further discloses the claimed limitation of calculating a second distance metric between each data file using a second subset of data contained in the feature vector which is greater than the first subset (e.g., column 6-9).

Claim 5:

The claim 5 encompasses the same scope of invention as that of claim 4 except additional claimed limitation of computing the feature vector for each data file before starting the method; storing the feature vector for each data file; and accessing the feature vector for each data file. However, Hirata further discloses the claimed limitation of computing the feature vector for each data file before starting the method; storing the feature vector for each data file; and accessing the feature vector for each data file (e.g., grouping the second set of similar images into clusters based upon a similarity calculation among members of the second set of similar images and re-

Art Unit: 2672

ordering the second set of similar images based upon a similarity calculation among members of the second set of similar images wherein feature vector calculation is involved for each data file and the results are stored in the database; see column 9).

Claim 6:

The claim 6 encompasses the same scope of invention as that of claim 4 except additional claimed limitation of each feature vector having a length at least eight.

However, Hirata further discloses the claimed limitation of each feature vector having a length at least eight (e.g., considering the multiple features with respect to the image regions).

Claim 7:

The claim 7 encompasses the same scope of invention as that of claim 4 except additional claimed limitation of the feature vector including at least one of a color feature and a texture feature. However, Hirata further discloses the claimed limitation of the feature vector including at least one of a color feature and a texture feature (e.g., figures 1-11; column 2).

Claim 11:

The claim 11 encompasses the same scope of invention as that of claim 1 except additional claimed limitation of the data files being image files. However, Hirata further discloses the claimed limitation of the data files being image files (e.g., figures 1-11; column 5).

Claim 12:

The claim 12 encompasses the same scope of invention as that of claim 1 except additional claimed limitation of the data files being video files. However, Hirata further discloses the claimed limitation of the data files being video files (e.g., figures 1-11; column 5).

## Claim 16:

The claim 16 encompasses the same scope of invention as that of claim 1 except additional claimed limitation of the portion of the images redisplayed being graphically selected by the user. However, Hirata further discloses the claimed limitation of the portion of the images redisplayed being graphically selected by the user (e.g., figures 1-11; column 4).

## 2. Claim 17:

Hirata teaches a method of interactively retrieving a data file from a set of data files in real time comprising:

Displaying a plurality of images, each image corresponding to a data file, on a display device using a first distance metric between each data file (e.g., Based on the mutual similarities between the images, retrieval results of the candidate images are sorted. The images similar to each other are assumed to be within one group and are re-ordered based on the similarity and users can specify the forms of the output for display. Clustering image data files is done using a distance metric such as a first similarity; figures 1-11; column 6-9);

Interactively selecting, by a user, a portion of the images (e.g., a user specify the regions of the images; e.g., the region division of figure 3; figures 1-11; column 6-9);

Redisplaying the portion of the images in real time on the display device using a refined distance metric (e.g., Hirata teaches using a distance metric such as a second similarity to retrieve images based on the set of similar images retrieved using a first similarity. The second similarity is now a “refined” distance metric because it refines the search for images. The second similarity of Hirata thus meets the claim limitation of “a refined distance metric.” Here, a refined

Art Unit: 2672

set of similar images is produced from the first set of similar images produced using a first distance metric. Re-order is based on the similarity among the candidate images of figure 9 or 2<sup>nd</sup> stage image matching is based on boundary of figure 11 and grouping and re-ordering is based on the similarity among candidates using the refined distance metric of figure 11; figures 1-11; column 4); and

Retrieving a desired data file (retrieved data file is displayed on a display device; figures 1-11; column 4).

Claim 18:

The claim 18 encompasses the same scope of invention as that of claim 17 except additional claimed limitation of computing a feature vector for each data file and calculating the first distance metric between each data file using a first subset of data contained in the feature vector. However, Hirata further discloses the claimed limitation of computing a feature vector (visual attributes values, including color, shape and texture-related values; see column 2) for each data file and calculating the first distance metric between each data file using a first subset of data contained in the feature vector (a subset of data refers to the image region and Hirata teaches extracting the feature vector corresponding to each image region in the feature-based image processing; figures 1-11; column 6-9).

Claim 19:

The claim 19 encompasses the same scope of invention as that of claim 18 except additional claimed limitation of calculating a second distance metric between each data file using a second subset of data contained in the feature vector which is greater than the first subset.

Art Unit: 2672

However, Hirata further discloses the claimed limitation of calculating a second distance metric between each data file using a second subset of data contained in the feature vector which is greater than the first subset (e.g., re-ordering the output images using a second distance metric; figures 1-11; column 6-9).

Claims 8, and 13-14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hirata et al. U.S. Patent No. 6,240,423 (hereinafter Hirata), as applied to claims 1 and 17 above, and further in view of Moghaddam et al. U.S. Patent No. 6,584,221 (hereinafter Moghaddam). This rejection is set forth in prior Final Office Action, dated 06/04/2004, and the prior Advisory Action, 11/16/2004.

Claim 8:

(1) The claim 8 encompasses the same scope of invention as that of claim 4 except additional claimed limitation of the feature vector including at least one of a color histogram, color moment, color coherence histogram, Multiresolution Simultaneous Augoregressive (MRSAR) Model, coarseness, and directionality.

(2) Hirata is silent on the claimed limitation of the feature vector including at least one of a color histogram, color moment, color coherence histogram, Multiresolution Simultaneous Augoregressive (MRSAR) Model, coarseness, and directionality.

(3) Moghaddam discloses the claimed limitation of the feature vector including at least one of a color histogram, color moment, color coherence histogram, Multiresolution

Art Unit: 2672

Simultaneous Augoregressive (MRSAR) Model, coarseness, and directionality (e.g., Moghaddam column 3, lines 2-10; column 3, lines 64-67; column 4, lines 1-8).

(4) It would have been obvious to one of ordinary skill in the art to have incorporated the Moghaddam's feature vectors into Hirata's method of visualizing and retrieving an image from the database because Hirata suggests visual and semantic features including color, shape and texture-related values (Hirata column 2).

(5) One having the ordinary skill in the art would have been motivated to do this because it would have advantageously provided the various image features for accurate image extraction and matching.

Claims 13-14:

(1) The claim 13 encompasses the same scope of invention as that of claim 1 except additional claimed limitation of establishing a fixed scale that spans a maximum distance between the plurality of data files; and indicating a relative position on the fixed scale for the redisplay of the portion of the image, thereby providing the user with a reference frame.

The claim 14 encompasses the same scope of invention as that of claim 1 except additional claimed limitation of the fixed scale being at least one of a linear scale, a logarithmic scale, and a hyperbolic scale.

(2) Hirata is silent on the linear scale.

(3) Moghaddam discloses the linear scale (e.g., Moghaddam column 4).

Art Unit: 2672

(4) It would have been obvious to one of ordinary skill in the art to have incorporated the Moghaddam's linear scale into Hirata's method of visualizing and retrieving an image from the database because Hirata suggests specifying image regions (Hirata column 2).

(5) One having the ordinary skill in the art would have been motivated to do this because it would have advantageously selected image regions at different resolutions.

Claims 9, 10, and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hirata et al. U.S. Patent No. 6,240,423 (hereinafter Hirata), as applied to claims 1 and 17 above, and further in view of Jain U.S. Patent No. 6,121,969 (hereinafter Jain). This rejection is set forth in prior Final Office Action, dated 06/04/2004, and the prior Advisory Action, 11/16/2004.

3. Claims 9, 10, and 20:

(1) Hirata teaches a method of visualizing and retrieving a data file from a set of data files.

(2) Hirata is silent on the claimed limitation that the first distance metrics are mapped into an N-dimensional space using FastMap for displaying and the refined distance metrics are mapped into an N-dimensional space using FastMap for redisplaying.

(3) Jain discloses the claimed limitation that the first distance metrics are mapped into an N-dimensional space using FastMap for displaying and the refined distance metrics are mapped into an N-dimensional space using FastMap for redisplaying (e.g., Jain column 27, lines 30-40; column 25, lines 35-67; column 26, lines 1-57).



Art Unit: 2672

(4) It would have been obvious to one of ordinary skill in the art to have incorporated the Jain's mapping method into Hirata's method of visualizing and retrieving an image from the database because Hirata suggests distance metric for image features with respect to image regions (Hirata column 4-5).

(5) One having the ordinary skill in the art would have been motivated to do this because it would have advantageously provided the display of metric properties for representation in the display space (Jain column 25, lines 35-67; column 26, lines 1-57).

Claim 15 is rejected under 35 U.S.C. 103(a) as being unpatentable over Hirata et al. U.S. Patent No. 6,240,423 (hereinafter Hirata) as applied to claims 1 and 17 above, and further in view of Bates et al. U.S. Patent No. 5,528,259 (hereinafter Bates). This rejection is set forth in prior Final Office Action, dated 06/04/2004, and the prior Advisory Action, 11/16/2004.

Claim 15:

(1) Hirata teaches a method of visualizing and retrieving a data file from a set of data files.

(2) Hirata is silent on the claimed limitation of providing a display depth indication that represents an amount of overlapping of images on the display and scrolling to view images that were previously not viewable due to overlapping of the images.

(3) Bates discloses the claimed limitation of providing a display depth indication that represents an amount of overlapping of images on the display and scrolling to view images that were previously not viewable due to overlapping of the images (e.g., Bates figures 4A-4C; column 4, lines 39-56; column 5, lines 25-45).

Art Unit: 2672

(4) It would have been obvious to one of ordinary skill in the art to have incorporated the Bates' scrolling of overlapping images and selecting of an alternate layer into Hirata's method of visualizing and retrieving an image from the database because Hirata suggests a user interface selection of a portion of image and second level regions and objects (Hirata figures 1-11; column 4).

(5) One having the ordinary skill in the art would have been motivated to do this because it would have advantageously provided a pictorial representation of one of selected multiple layers of image data in a multi-dimensional scrolling method of manipulating or selecting image layers (e.g., Bates figures 4A-4C; column 4, lines 39-56; column 5, lines 25-45).

**(11) *Response to Argument***

On Page 4 and 10 in the remarks, the Appellant argued with respect to the claim 1 and similar claims in substance:

(A) "Independent claims 1 and 17 recite, among other features, redisplaying a portion of the images on the display device using a refined distance metric. In contrast, the Hirata patent is directed to a query based image matching system, wherein images are displayed only a single time per query."

In response to the arguments in (A), Hirata at least discloses two steps of displaying the image results, i.e., displaying the second set of similar images from query and displaying (redisplaying) the re-ordered set of the second set of similar images using a different distance

Art Unit: 2672

metric such as the similarity measure together with the mutual distance calculations among the second set of similar images.

Moreover, in column 6-14 or in the claims 37-39, Hirata clearly teaches displaying the second set of similar images grouped by the clusters on the display and REDISPLAYING RE-ORDERED SECOND SET of IMAGES ON THE DISPLAY and therefore at least two steps of displaying is involved in the process.

In column 6-14 and more specifically, the claim 37 of Hirata, the second set of similar images grouped by the clusters is displayed on the display. Hirata thus teaches displaying the second set of similar images representing data files (as images retrieved from data files) on a display device (displaying involves a display device) using a second similarity (based on the first set of similar images retrieved by the first similarity) between each data file of the data files for images including the query image. In column 6-14 and more specifically the claim 38 of Hirata, the re-ordered second set of similar images is displayed (i.e., re-displayed) on the display. Hirata thus teaches redisplaying the re-ordered second set of images (which is 100% or less than 100% of the second set of images first displayed as set forth in the claim 37 of Hirata) on the display using a mutual similarity calculation among members of the second set of similar images (which is a refined distance metric). Hirata also teaches redisplaying a strictly less than 100% of the second set of similar images in the re-displaying step because Hirata discloses in column 6-14 as set forth in claim 39 that, a representative image from each of the clusters is selected and whereupon for each cluster the selected representative image is displayed (redisplayed) on the display, i.e., only a portion of the images being re-displayed on the display.

Art Unit: 2672

On Page 6 in the remarks, the Appellant argued with respect to the claim 1 and similar claims in substance:

(B) “The present application discloses a multi-media database and classification system, which can, for example, provide for automatic classification and retrieval of multimedia files based on features on the multimedia files... As described on specification page 6 beginning with line 4, the distance metric can be refined at each of plural redispays until a desired data file is found or a maximum refined distance metric is reached.”

In response to the arguments in (B), Appellant’s arguments that “the distance metric can be refined at each of plural redispays until a desired data file is found or a maximum refined distance metric is reached” cannot be found in the claim 1. Appellant’s claim 1 is broadly construed rather than incorporating the specific argument in the claim.

On Page 7 in the remarks, the Appellant argued with respect to the claim 1 and similar claims in substance:

(C) “...Based on perceived properties of a desired image, a user can select an area 202 of the screen where a desired image most likely resides. Figure 2B shows a portion of images redisplayed as selected by area 202. Here the distance metric has been recalculated using more of the image information than was used in the first distance calculation.”

In response to the arguments in (C), Appellant’s arguments contains a term of “an area 202 of the screen” which differs from the claim limitation of “a portion of images”. A portion of

Art Unit: 2672

images could be a subset of the plurality of images which refers to the number of images rather than the image sub-region or region within a complete image. "A portion of images" could also be a plurality of subimages wherein the subimage corresponds to a region or a sub-region of the image. "A portion of images" could also refer to 100% of the plurality of images. Appellant failed to particularly points out and distinctly claim the subject matter which the Appellant regards as invention.

Appellant further argues that "the distance metric has been recalculated using more of the image information than was used in the first distance calculation." However, Hirata discloses reordering based on a distance metric together with the mutual similarity and the distance calculations among the second set of similar images wherein the distance information among the similar images is more of the image information than the distance metric used for retrieving the second set of similar images (See column 6-14 of Hirata).

On Page 8 in the remarks, the Appellant argued with respect to the claim 1 and similar claims in substance:

(D) "The Hirata patent is not directed to redisplaying a portion of displayed images using a refined distance metric. In contrast to Appellants' claimed use of a refined distance metric to redisplay a portion of displayed images, Hirata teaches applying a new distance metric to all images during each image matching operation."

In response to the arguments in (D), Hirata at least discloses, during each image matching operation, two steps of displaying the image results, i.e., displaying the second set of

similar images and redisplaying the re-ordered second set of the similar images using a distance metric such as the mutual similarity measure together with the distance calculations among the second set images. Hirata thus applying a refined distance metric to the second set of similar images during the re-ordering step.

For example, Hirata teaches using a second distance metric to retrieve images based on the set of similar images retrieved using a first distance measure. The second distance metric is now a “refined” distance metric because it refines the search for images that reorders the candidate images. The second distance metric of Hirata thus meets the claim limitation of “a refined distance metric.” Here, a set of similar images is produced from the set of similar images produced using a first distance metric. See figure 9, 11 and 12; column 6-9.

Moreover, based on the mutual similarities between the images, retrieval results of the candidate images are sorted. The images similar to each other are assumed to be under one group and are re-ordered based on the similarity and users can specify the forms of the output for display; figures 1-11; column 6-9. Note that Fig. 10B shows a display (or a redisplay) of a plurality of images using a refined distance metric in accordance with the distance measure among the candidate images. The distance measure has been illustrated in Fig. 9 and re-order based on the similarity distance measure allows for the images to be grouped in terms of the mutual similarities and similarities are calculated to form groups. The order in which the search results are presented is changed based on the grouping.

The term “redisplaying” means that Fig. 10A has displayed a set of search results of the images in a one-dimensional array and Fig. 10B re-displayed the same set of search results

Art Unit: 2672

(which are arranged in two rows with the appropriate grouping wherein the first row of the images in Fig. 10B is less than the first and only row of the candidate images in Fig. 10A and the second row of the images in Fig. 10B is less than the total number of the candidate images in Fig. 10A). "A portion of the images" merely means either 100% or strictly less than 100% subset of the plurality of the images retrieved. "A refined distance metric" merely means a distance metric that refines the search process for the images or a distance metric that imposes more restrictive conditions in the redisplaying step than the distance metric used in the "displaying" step.

On Page 9 in the remarks, the Appellant argued with respect to the claim 1 and similar claims in substance:

(E) "In addition, the Hirata patent fails to teach or suggest the claim 17 feature of interactive user selection for selecting a subset of images to be displayed. Rather, the query based system of the Hirata patent groups all images, and only creates new groupings based on a new query. The Hirata patent does not teach or suggest applying a refined distance metric in a second stage of image matching to redisplay a portion of displayed images."

In response to the arguments in (E), Hirata discloses in column 6-14 as set forth in claim 39, a representative image from each of the clusters is selected and whereupon for each cluster the selected representative image is displayed (redisplayed) on the display, i.e., only a portion of the images being re-displayed on the display. Hirata also discloses user's selection of the parameters by the user or an automatic selection of the parameters by the application program for

Art Unit: 2672

the image retrieval to limit the number of the second set of similar images. Hirata thus teaches interactive user selection for selecting a subset of images to be displayed.

On Page 10-11 in the remarks, the Appellant argued with respect to the claim 8, 13 and 14 in the Second groupings in substance:

(F) "Claims 8, 13 and 14 stand rejected under 35 U.S.C. 103(a) as being unpatentable over the Hirata patent, and further in view of U.S. Patent 6,584,221 (Moghaddam et al.), claims 9, 10 and 20 stand rejected under 25 U.S.C. 102(e) as being unpatentable over the Hirata patent, and further in view of U.S. Patent 6,121,969 (Jain et al.); and claim 15 stands rejected under 35 U.S.C. 103(a) as being unpatentable over the Hirata patent, and further in view of U.S. Patent 5,528,259 (Bates et al.). For at least these reasons, the Hirata patent does not disclose or suggest each and every element of claims 8-10, 13-15 and 20, and the patents to Moghaddam et al., Jain et al. and Bates et al. do not make up for the deficiencies of the Hirata patent. Accordingly, the rejection should be reversed."

In response to the arguments in (F), Appellant applies the same arguments for the claim 1 to Claims 8, 13 and 14 in the Second Grouping and to Claims 9-10 and 20 in the third Grouping and to Claim 15 in the fourth Grouping. The responses to arguments (A)-(E) also applies to these groupings of the claims.

On Page 13 in the remarks, the Appellant argued with respect to the claim 1 and similar claims in substance:



Art Unit: 2672

(G) “The image matching based on boundary, as taught by the Hirata patent, does not redisplay a portion of the images as claimed, and does not suggest redisplay of a portion of the images first displayed. Rather, the first and second similarity calculations disclosed by the Hirata patent are a mere sequence of calculations in a method for querying a database.”

In response to the arguments in (G), Hirata at least discloses, during each image matching operation, two steps of displaying the image results as set forth in column 6-14 and claims 37-39 of Hirata, i.e., displaying the second set of similar images and redisplaying the re-ordered set of the second set of similar images using a mutual similarity measure together with the distance calculations among the second set of similar images.

On Page 13 in the remarks, the Appellant argued with respect to the claim 1 and similar claims in substance:

(H) “Moreover, a similarity matching among candidate images resulting from the Hirata patent’s region-based and boundary-based matching does not produce a redisplay of a portion of the already displayed images for retrieving. The Hirata patent does not disclose a first visual display of a plurality of images, and redisplaying a portion of the first displayed images, the portion being in reference to the first display.”

In response to the arguments in (H), Hirata discloses displaying the second set of similar images retrieved using the region-based and boundary-based matching. Hirata further discloses redisplaying redisplaying the re-ordered set of the second set of similar images using a distance

Art Unit: 2672

metric such as the mutual similarity measure together with the distance calculations among the second set of similar images.

On Page 13 in the remarks, the Appellant argued with respect to the claim 17 and similar claims in substance:

(I) “The Examiner asserts that the displaying and re-displaying of resulting candidate images are interactive because users can select the number of the candidate images. However, the selection criteria are not based upon visual inspection of the first display and defining a portion of the first display for redisplay.”

In response to the arguments in (I), the argument of “based on visual inspection of the first display” cannot be found in the claim 17. In view of Hirata’s related teaching, Hirata discloses in column 6-14 as set forth in claim 39 that, a representative image from each of the clusters is selected and whereupon for each cluster the selected representative image is displayed (redisplayed) on the display, i.e., only a portion of the images being re-displayed on the display. Hirata further discloses user’s selection of the parameters by the user or an automatic selection of the parameters by the application program for the image retrieval to limit the number of the second set of similar images. The selection criteria can be defined by the user or via the application program and therefore a portion of the first display for redisplay can be defined iteratively by the user or via the application program. Hirata thus teaches interactive user selection for selecting a subset of images from the first display by the user through user’s selection of the parameters or threshold values or via the application program so that the

Art Unit: 2672

selection and re-ordering of the second set of similar images are based on the user's selection of the parameters and re-displaying the re-ordered set of the images.

For the above reasons, it is believed that the rejections should be sustained.

Respectfully submitted,

Jin-Cheng Wang  
March 14, 2005

Conferees

Jeffrey Brier

Richard Hjerpe

Mike Razavi

*J.B.*  
*R.H.*  
*M.R.*



MICHAEL RAZAVI  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 2600